

## MARUYASU Corporation

3-21-5 RYOGOKU SUMIDAKU TOKYO 130 0026 JAPAN TEL: 81-3-3633-5561

## **TECHNICAL DETAILS**

| Yarn description:            | PISA S/Z   |                |               |                   |
|------------------------------|--|----------------|---------------|-------------------|
| Composition:                 | COTTON 1009  | %              | 1Cone=1.0 KG  |                   |
| Yarn count:                  | Nm.16.000  | Country of or  | igin: JAPAN   |                   |
| Type of yarn:                | SLUB YARN (COATED WITH NATURAL GELATINE)   |                |               |                   |
| Finishing:                   | WASHING  | Dye            | eing: HUNK    |                   |
| Knitting:                    | 10G-1PLY   |                |               |                   |
| Knitting instruction:        | <ol> <li>This yarn will be skewed by knitting with sigle twist. To avoid this problem,<br/>it has to be knitted switching S and Z twist in each courses.</li> <li>This yarn is dyed in hunk, and has the knots in composition, please knit<br/>with care to avoid the knots</li> </ol> |                |               |                   |
| Stock service:               | YES<br>Min=1.0KG<br>L/T:dyeing=3   | -4weeks        | NO            |                   |
| Posibility of own colors:    | YES<br>Min=3.0KG<br>L/T:dyeing=3   | -4weeks        | NO            |                   |
|                              | <b>**NOTE</b> : In case no stock of RW (Z twist) / spinning=6-8weeks+dyeing 2-3weeks<br>In case no stock of RW (S twist) / spinning=9-11weeks+dyeing 2-3weeks  |                |               |                   |
| Washing Instructions:        | In water max. Temp 40°C with neutral soap, avoid drenching,<br>Rince with clean water 2-3 times after washing and dry in shade<br>No chlorine. Striped or jacquard knitwear, dry cleaning is recommend.  |                |               |                   |
| Other instruction:           | *Please note that for dark colors, wet rubbing fastness may be low grade,<br>and improvement might not be possible.<br>Please test before the production.  |                |               |                   |
| Care instruction:<br>washing | bleaching  | tumbler drying | ironing dry o | leaning wet clean |