

Testing Report

Test Items		Methods of Testing		Colour No.	1 navy	2	3	4	5	6	
Colour Fastness	Ultraviolet carbon arc lamp light (Grade)	JIS L 0842		change in colour							
	Washing and Laundering (Grade)	JIS L 0844		change in colour							
		Method A-2		staining							
	Perspiration (Grade)	JIS L 0848	acid	change in colour							
			alkali	staining							
	Rubbing (Grade)	JIS L 0849 Type II		dry							
				wet							
	Water (Grade)	JIS L 0846		change in colour							
				staining							
Dry cleaning (Grade)	JIS L 0860		change in colour								
	Method A-1		staining								
Light and Perspiration (Grade)	JIS L 0888 Method B	acid	solution staining								
		alkali	change in colour								
Water Drop (Grade)	JIS L 0853		change in colour								
Determination of formaldehyde JIS L 1041 Method B (ppm)											
Dimensional Change	Steep Method (%)	JIS L 1096		warp							
		Method C		weft							
	Pressing Method (%)	JIS L 1096		warp							
		Method H-2		weft							
	Dry cleaning Method (%)	JIS L 1096		warp							
		Method J-1 Tumbler drying		weft							
Electric washing machine Method (%)	JIS L 1930		warp								
	No.C4G screen drying neutral detergent		weft								
Electric washing machine Method (%)	JIS L 1930		warp	-2.2							
	No.C4H Screen drying		weft	-4.3							
Strength	Pilling (Grade)	JIS L 1076		3hour							
		Method A		5hour							
	Water absorbency of textiles (second)	1907		initial							
		Dripping method		after							
	Water vapour permeability of textiles (g/m ² ·h)	JIS L 1099									
		Method A-1									
Tearing Strength (N)	JIS L 1096		warp								
	Method D		weft								
Determination of pH of aqueousextract		ISO 3071									
SAMPLE	1 navy	2	3	4	5	6					
	MENKEN	MENKEN	MENK								

Applicant	MONTELUCE/MARUYASU Corporation	
	Okubo	
Article	1/6.2 ATON BRUSHED	
	1 Piece	
COTTON 100%		
Laboratory	THE JAPAN COTTON & STAPLE FIBER FABRIC INSPECTING INSTITUTE FOUNDATION	
	1-10-5, Komagome, Toshima-ku, Tokyo, Japan	
	TEL 03-3943-3174	
	FAX 03-3943-3183	
	Date	2025/4/8
	Test No.	TO-TO-2502692-②
	InspectionHouse	Tokyo Test Center
	Inspector	S. Sato
Adjacent Fabric		Cotton / Nylon (multifiber fabric)
Quantitative analysis of fibre mixtures (%)		
JIS L 1030-2		