

Testing Report

Test Items			Methods of Testing	Colour No.	1 NB999	2	3	4	5	6
Colour Fastness	Ultraviolet carbon arc lamp light (Grade)		JIS L 0842	change in colour						
	Washing and Laundering (Grade)		JIS L 0844 Method A-2	change in colour						
				staining						
				solution staining						
	Perspiration (Grade)		JIS L 0848	acid	change in colour					
				alkali	change in colour					
	Rubbing (Grade)		JIS L 0849 Type II	dry						
				wet						
	Water (Grade)		JIS L 0846	change in colour						
				staining						
Dimensional Change	Dry cleaning (Grade)		JIS L 0860 Method A-1	change in colour						
				staining						
				solution staining						
	Light and Perspiration (Grade)		JIS L 0888 Method B	acid	change in colour					
				alkali	change in colour					
	Water Drop (Grade)		JIS L 0853	change in colour						
	Determination of formaldehyde JIS L 1041 Method B(ppm)									
	Steep Method (%)		JIS L 1096 Method C	warp						
				weft						
	Pressing Method (%)		JIS L 1096 Method H-2	warp						
Strength				weft						
	Dry cleaning Method (%)		JIS L 1096 Method J-1 Tumbler drying	warp						
				weft						
	Electric washing machine Method (%)		JIS L 1930 No.C4G screen drying neutral detergent	warp						
				weft						
	Electric washing machine Method (%)		JIS L 1930 No.C4H screen drying neutral detergent	warp	-0.6					
				weft	-1.5					
	Pilling (Grade)		JIS L 1076 Method A	3hour						
				5hour						
	Water absorbency of textiles (second)		1907 Dripping method	initial						
				after						
	Water vapour permeability of textiles (g/m ² ·h)		JIS L 1099 Method A-1							
	Tearing Strength (N)		JIS L 1096 Method D	warp						
				weft						
	Determination of pH of aqueousextract		ISO 3071							
SAMPLE	1	BLACK	2	3	4	5	6			

Applicant	MONTELUCE/MARUYASU Corporation	
	Okubo	
Article	2/48 NOBLE48 SI0150	
	1 Piece	
wool 100%		
Laboratory	THE JAPAN COTTON & STAPLE FIBER FABRIC INSPECTING INSTITUTE FOUNDATION	
	1-10-5, Komagome, Toshima-ku, Tokyo, Japan	
	TEL 03-3943-3174 FAX 03-3943-3183	
	Date	2025/6/20
	Test No.	TO-2505313
	InspectionHouse	Tokyo Test Center
	Inspector	S. Sato
	Adjacent Fabric	Cotton / Nylon (multifiber fabric)
Quantitative analysis of fibre mixtures (%)		wool 100%
JIS L 1030-2		