

Testing Report

Test Items			Methods of Testing	Colour No.	1 NB999	2	3	4	5	6
Colour Fastness	Ultraviolet carbon arc lamp light (Grade)		JIS L 0842		change in colour					
	Washing and Laundering (Grade)		JIS L 0844		change in colour					
			Method A-2		staining					
	Perspiration (Grade)		JIS L 0848	acid	change in colour					
					staining					
			alkali	change in colour						
				staining						
	Rubbing (Grade)		JIS L 0849 Type II		dry					
					wet					
Water (Grade)		JIS L 0846		change in colour						
				staining						
Dry cleaning (Grade)		JIS L 0860		change in colour						
		Method A-1		staining						
				solution staining						
Light and Perspiration (Grade)		JIS L 0888	acid	change in colour						
		Method B	alkali	change in colour						
Water Drop (Grade)		JIS L 0853		change in colour						
Determination of formaldehyde JIS L 1041 Method B (ppm)										
Dimensional Change	Steep Method (%)		JIS L 1096 Method C		warp					
					weft					
	Pressing Method (%)		JIS L 1096 Method H-2		warp					
					weft					
	Dry cleaning Method (%)		JIS L 1096 Method J-1 Tumbler drying		warp					
					weft					
Electric washing machine Method (%)		JIS L 1930		warp						
		No.C4G screen drying neutral detergent		weft						
Electric washing machine Method (%)		JIS L 1930		warp						
		No.C4H screen drying neutral detergent		weft						
Strength	Pilling (Grade)		JIS L 1076 Method A		3hour		4.5			
					5hour		4.0			
	Water absorbency of textiles (second)		1907 Dripping method		initial					
					after					
	Water vapour permeability of textiles (g/m ² ·h)		JIS L 1099 Method A-1							
Tearing Strength (N)		JIS L 1096 Method D		warp						
				weft						
Determination of pH of aqueousextract			ISO 3071							
SAMPLE	1	BLACK	2	3	4	5	6			

Applicant	MONTELUCE/MARUYASU Corporation	
	Okubo	
Article	2/60 NOBLE60 SI0151	
	1 Piece	
wool 100%		
Laboratory	THE JAPAN COTTON & STAPLE FIBER FABRIC INSPECTING INSTITUTE FOUNDATION	
	1-10-5, Komagome, Toshima-ku, Tokyo, Japan	
	TEL 03-3943-3174 FAX 03-3943-3183	
	Date	2025/6/12
	Test No.	TO-2504856
	InspectionHouse	Tokyo Test Center
	Inspector	
	Adjacent Fabric	Cotton / Nylon (multifiber fabric)
Quantitative analysis of fibre mixtures (%)		wool 100%
JIS L 1030-2		